

# Declaration of Conformance (DoC)

## UN38.3 Transportation Test for Lithium Batteries

### 1. Product information

Model name: 913012 Lino L6 Li-Ion battery pack  
 Product classification: Lithium Ion rechargeable battery  
 Nominal voltage: 3.6V  
 Rated capacity: 5.2Ah, 18.7Wh  
 Weight of Product: 0.15Kg  
 Physical: cylinder

### 2. Manufacturer information

Leica Geosystems AG  
 Heinrich Wild Strasse  
 CH-9435 Heerbrugg  
 Switzerland email: [wolfram.mathis@leica-geosystems.com](mailto:wolfram.mathis@leica-geosystems.com) web: [www.leica-geosystems.com](http://www.leica-geosystems.com)

### 3. Conformance information

The UN 38.3 tests were performed by the following test houses and were tested to UN Manual Test and Criteria Revision 6, 38.3.

### 4. Lithium Ion Test Summary

UN38.3 Test Lab:	GUANGZHOU CUSTOMS DISTRICT TECHNOLOGY CENTER Room C102, No,1 Nanxiangzhi Road, Science City, Guangzhou, Guangdong, China T: (86) 020-38669019 E: <a href="mailto:itl@iqtc.cn">itl@iqtc.cn</a> U: <a href="http://www.iqtc.cn">www.iqtc.cn</a>	
Test Report No.:	01052000005748-1(E)	
Date:	2020-09-11	
UN38.3 Test Performed and Successfully passed:	38.3.4.1 T.1 Altitude Simulation,	38.3.4.5 T.5 External Short Circuit
	38.3.4.2 T.2 Thermal Test,	38.3.4.6 T.6 Impact/Crush
	38.3.4.3 T.3 Vibration	38.3.4.7 T.7 Overcharge
	38.3.4.4 T.4 Shock	38.3.4.8 T.8 Forced Discharge
Edition of UN manual of Tests and Criteria used:	6th Edition	

Assembled Battery Testing requirements: n/a

Place and date of issue:  
 Signed for and on behalf of:

Heerbrugg, 12.10.2020  
 Leica Geosystems AG

Name:  
 Function:

Wolfram Mathis  
 Quality Manager  
 Disto Business